
CLEVER ACCESSORIES

The components and accessories offered in our accessories range provide solutions which are flexible to create additional impact or will bend or swing to avoid being damaged, while others offer a solid connection to the base.

Alternatively, our design department is available to create tailor made solutions for mounting your messages at the point of sale.



Cost-efficient solutions for your everyday needs!

The HL Display accessories product range consists firstly of helpful accessories to mount promotional signs, information and products, coupons or flags close to the goods and secondly of general retail accessories.





FIXTURES FOR OPTIMAL DISPLAY

Our accessories allow you to display information and products where ever you like, in simple and cost effective ways.

These are small but very useful solutions that let you create the desired attention - whether you clip it to the shelf edge, mount it on a display or hang it from the ceiling.

I.

1

I.

I.

They are essential tools for successful in-store campaigns and attractive store decorations.





COUPON PINS





Coupon holder and merchandising hook for Slimline™

Secure snap-on hook to hold coupons on Slimline[™] profiles Provided with a finger grip to release from the Slimline[™] profile. Fits both non-angled and 20° angled shelves. Total perpendicular length 40 mm. For coupons with minimum 7 mm holes. Colour: Transparent, others on request. Number per bag: 50. Number per carton: 200.





Coupon and Flip-book holder for Slimline™

Reliable snap-on loop to hold coupons on Slimline™ profiles. The coupons are safely secured by the loop which has a snap-locking mechanism. Coupons are taken-off by a "tear-off" principle. By using two or more SLIM-LOOP's you can easily create selection guides up to any length, just by making holes in your pages. The stopper holds the messages in a maximum 20° flip-up position. Provided with a finger grip to release from the Slimline™ profile. Fits both non-angled and 20° angled shelves. Ring diameter inside 25 mm. For pages with minimum 6 mm holes (we recommend 10 mm holes). Colour: Transparent, others on request. Number per bag: 50. Number per carton: 200.





Coupon pin

Can be mounted on a datastrip with 26 mm label height, over a cardboard edge or taped on a flat surface. Length: 25 mm. Colour: White. Diameter: 4.5 mm. Can be ordered with or without tape. Number per bag: 100. Number per carton: 5000.

Coupon hook for Datastrips

A coupon holder that fits all heights of Datastrips. Especially for 26 and 39 mm Datastrips this holder also provides a locking mechanism. Can be used on cardboard edges as well. Color : Semi-transparent Packing : 100/bag



Straight coupon pin Length: 40 mm. Diamete Colour: White.

Length: 40 mm. Diameter: 6 mm. With tape. Colour: White. Bonding surface: 25x25 mm. Number per bag: 100. Number per carton: 2500.













Angled coupon pin

Length: 30, 40 and 80 mm. Diameter: 4.5 mm (2283-30) and 6 mm (2283-40, 2283-80). With tape. Colour: White. Bonding surface: 20x20 mm (2283-30) and 25x25 mm. (2283-40, 2283-80). Number per bag: 100. Number per carton: 2283-30: 5000, 2283-40: 5000, 2283-80: 3000.





Coupon/Merchandising hook

Most suitable for wire baskets, but it can also be mounted on cardboard and glass edges up to 7 mm. 2206-TF can also be taped on any flat surface. Height: 60 mm. Hook diameter: 6 mm. Colour: White. Number per bag: 100. Number per carton: 1000.



Carton hook

 For coupon or X-Merchandising use.

 The hook is simply stuck through the cardboard and locked safely by the additional harpoon pin.

 Packing
 : 100/bag.

 Colour
 : White.

 Length
 : 30 mm on the inside, 35 mm in total.

HANG TABS AND OTHER MERCHANDISERS




Pin-pac hook For use on cardb

For use on cardboard surfaces. To be mounted on pre-punched holes (16x8 mm). Colour: White. Length: 50, 100 and 150 mm. Number per bag: 100. Number per carton: 2383-05: 2000, 2383-10: 1000, 2383-15: 2000.







To be mounted directly on cardboard. Pre-punched holes are not necessary. Length: 50, 100 and 150 mm. Colour: White. Number per bag: 100. Number per carton: 2385-05: 1400, 2385-10: 1300, 2385-15: 1000.





Quick-stick, double pin

To be mounted directly on cardboard. Pre-punched holes are not necessary. Length: 50, 100 and 150 mm. Width: 28 mm. Colour: White. Number per bag: 100. Number per carton 2386-05: 500, 2386-10: 500, 2386-15: 600.



Flip-up Hook

The flip-up feature allows flat-pack displays to be pre-mounted with hooks so that these still can be shipped in a flat package. FLIPSTICK's can simply be stuck through cardboard or they can be used with peg walls with 6,0 mm holes with cc 25 mm. FLIPSTICK 100 – 100 mm FLIPSTICK 100 – 100 mm FLIPSTICK 200 – 200 mm Colour: White Number per unit: 100



FLIPSTICK-D

Double flip-up Hook

For heavier merchandise and compatible with PP-TAG label holders. Otherwise same features as FLIPSTICK. FLIPSTICK-D 100 – 100 mm FLIPSTICK-D 150 – 150 mm FLIPSTICK-D 200 – 200 mm Colour: White Number per unit 100 mm: 100 Number per unit 150 & 200 mm: 50





NEW PRODUCT

Pre-Pack cardboard Hook

By using the stopper function these hooks can be pre-loaded with merchandise during transport. QUICKSTICK-STOP 150 – 150 mm Colour: White Number per unit: 100





CHECKOUT ACCESSORIES



Cash-tray


Cash-tray with clear acrylic message holder and colored base in PP. For exchangeable messages in A5 format. Base colors: White, blue and black. Anti-slip feet. The message holder and the base are delivered unassembled. Number per carton: 25.






Cash-tray

Injection molded cash-tray in clear acrylic. For exchangeable messages. Very easily changed. Anti-slip feet. Total size 175x210 mm. Contact us for the design and sizes of the paper message. Number per carton: 50.



Next customer bar

Available in white. To be screen-printed. Customised shapes possible. Delivered flat. Length: 250 and 300 mm. Base width: 50 mm. Number per carton: 100.



Next customer bar

Transparent with white end caps. For inserting printed messages. Delivered unassembled. Standard length: 300 mm. Other lengths available on request. Width: 28x28 mm. Number per carton: 40.





C FLAGS & PENNANTS



Slotted plastic tube

To be used as a pole for flags/pennants. The sign is slipped into the slot and the tube is mounted on pennant holder 2281 or 2286. Colour: White. Length: 300 and 500 mm. Diameter: 8 mm. Number per bag: 50. Number per carton: 500.



B



Tube cap

Fits the slotted plastic tube (2255-). Colour: White. Diameter: 8 mm. Number per bag: 100. Number per carton: 4000.



Pin/pennant holder

Attachment for mounting small indoor promotional pennants at a straight angle. To be used together with the slotted plastic tube, 2255-. Colour: White. Bonding surface: 25x25 mm. With tape. Number per bag: 100. Number per carton: 2500.



Œ



Pin/pennant holder

Attachment for mounting small indoor promotional pennants in an angle. To be used together with the slotted plastic tube, 2255-. Colour: White. Bonding surface: 25x50 mm. With tape. Number per bag: 100. Number per carton: 3000.

MGT-86



Magnet

Magnet for mounting small indoor promotional pennants in an angle. To be used with the slotted plastic tube, 2255-. Colour: White. Number per bag: 10. Number per carton: 200.







Facing flag

Delivered only with print. Made in cold resistant plastic. Includes flagpole and cap. Size: 400x400x600 mm. Number per carton: 500.



 \oplus



Flag pocket

For printed paper messages in size: Width: 385 mm. Front height: 540 mm. Rear height: 355 mm. Colour: Transparent. Number per carton: 100.






Flag holder

Flag holder for mounting flags either horizontally or at an angle. Fitted with strong tape, also with four holes for fixing with screws. Bonding surface: 50x100 mm. Colour: White. Number per bag: 10. Number per carton: 250.





Flag holder

Flag holder for mounting flags at an angle. Fitted with strong tape and four holes for fixing with screws. Bonding surface: 50x100 mm. Colour: White. Number per bag: 10. Number per carton: 250.

TUB19-W-0650



Plastic tube To be used with flag holders 5050 or 5051. Length: 650 mm. Diameter: 19 mm. Colour: White. Number per carton: 80.



B





TUB19-W-0650 SL500

Slotted plastic tube To be used with flag holders 5050 or 5051. Length: 650 mm. Slot length: 500 mm. Diameter: 19 mm. Colour: White. Number per carton: 80.

ACCESSORIES



WOBBLERS





Flat wobbler

Available in two different degrees of rigidity, -01 is the weakest and -02 is the strongest. With foam tape. Colour: White. Length: 200 mm. Number per bag: 100. Number per carton: 2261-01: 5000. 2261-02: 4000.





Flat wobbler Length: 150 or 200 mm.

With foam tape. Colour: Transparent. Number per bag: 100. Number per carton: 5000.





Wobbler

With card holder on one side, and adhesive on the other. Length: 240 mm. Material: Plastic coated aluminium. Colour: White. Number per bag: 100. Number per carton: 500.





Wobbler With card holder on one side, and adhesive on the other. Length: 240 mm. Material: Plastic coated aluminium. Colour: Pink. Number per bag: 100. Number per carton: 500.



Twinstick



Twinstick, made in punched aluminium, with two foam pads. Can be fixed in several positions. Total length :73 mm : 15x30 mm Foam pad size : Aluminium Color Number per bag: 100. Number per carton: 7071-02: 8000. 7071-03: 6000.




(B)

7071-02

 \oplus 7071-03

NEW PRODUCT









Magnetic sign arm – small

Small and super strong magnet. Also for DELI use. Two linked arm for a completely free positioning of the signs. Magnet diameter: 22 mm Total height: 100 mm For signs with a substrate thickness between 0,4 and 0,7 mm. The sign grip is 11 mm deep and 50 mm wide. Colour: Transparent and white Number per bag: 10







With a clip and a plastic base shaped like a cube. Available in some other colours and with other bases on request. Height: 120 mm. Colour: Blue transparent. Number per bag: 10. Number per carton: 240.

Message holder for bottles

Attach the holder directly on the bottle cap. Colour: Transparent. Number per bag: 10. Number per carton: 50.



 \oplus









Bottle loop For putting prices or other information on bottles. Diameter: 35 and 40 mm. Colour: Black.


Number per bag: 100. Number per carton: 2535: 2000, 2540: 1500.





A swivelling clip for almost any purpose

Maximum material thickness: 8 mm. Fits wire up to 10 mm. Material: PC. Colour: Transparent. Number per bag: 100. Number per carton: 1000.




Sign holder For larger signs. Suitable for 300-1200 gsm cardboard. Length: 60 mm. With tape. Colour: Transparent. Number per bag: 50. Number per carton: 1000.




 \oplus







NEW PRODUCT





Universal price and sign gripper

Due to the wide gripping clamp with a soft friction providing inlay this holder can be used in various situations, such as on bars, edges etc. The open-able sign grip is very reliable and easy to use and holds substrates from 0.1 to appr 15.0 mm thickness. Colour: Clear transparent. Number per bag: 10. Number per carton: 250.






Round base sign holder

Adjustable angle. With a removable foamtape. Diameter: 55 mm. Height: 95 mm. Material: Plastic base and metal holder. Colour: Transparent. Number per bag: 100. Number per carton: 1000.





Round base sign holder Diameter: 100 mm. Height: 370 mm.

Diameter: 100 mm. Height: 370 mm. Material: Plastic base and metal holder. Colour: White. Number per bag: 100. Number per carton: 100.





Big universal clip with a message holder on top

Maximum grip: 30 mm. Maximum material thickness: 8 mm. Material: Polycarbonate. Colour: White. Number per bag: 10. Number per carton: 50.





Perpendicular sign holder for Slimline™

Secure snap-on sign holder with pin-locking mechanism for substrates up to 0.5 mm thickness. Provided with a finger grip to release from the Slimline™ profile for easy removal. Fits both non-angled and 20° angled shelves. For 5.0 mm hole diameter in the flags. Angle adjustable. Colour: Transparent, others on request. Number per bag: 50. Number per carton: 200.













Multi-purpose flag holder

Flexible gripper to display shelftalkers on most datastrips – including rails for electronic labels. Number per bag: 50. FLEXI-KLG is an upgrade of the existing model UNI-KLG. Strong points for the new product are : Possibility to use it in rails for electronic labels, including profiles from competition (and especially SES carriers) Simpler design of the back part : the holder is more friendlyuser nowStronger design of the front part because the anglesetting device was removed. No more risk that the gripper breaks UNI-KLG will be phased out from the assortment and replaced by FLEXI-KLG, with immediate effect.

Fixture backpiece for Shelftalkers

By taping this slot to the backside of Shelftalkers or Price Cassettes, you get acces to all the fixing accessories that are available for HL Display's Price Cassettes and Shelftalker frames. Provided with foam tape. Colour: White. Number per bag: 100. Number per carton: 10.000.







PC-GADGET





Sign holder with a flexible base

Holds signs from 0.5-3 mm. With TF19 tape. Material: PVC. Colour: Transparent. Number per bag: 100. Number per carton: 2000.








Extruded spacer unit

Projects the sign out from the surface. Depth: 14 mm. Provided with two adhesive pads 12x25 mm. Colour: White. Number per bag: 100. Number per carton: 2500.






Attachment for small signs

Holds the sign at a right angle from the surface. Suitable for 300 gsm cardboard. Length: 30 mm. With tape. Colour: White. Number per bag: 100. Number per carton: 3000.




 \oplus











Hinged signholder for Datastrips

Fits any height of Datastrip and the flip-up mechanism provides good access to the merchandise on the shelf below. This super-grip is for signs with a thickness up to 2,0 mm. Colour: Transparent. Lenghts: 25 and 75 mm. Number per bag: 100. Number per carton: 5000.







Sign grip Holds signs from 0.5-3 mm thickness. Width: 28 mm. Length: 25 or 75 mm. With tape. Colour: Transparent. Number per bag: 100. Number per carton: SGT-TF25-0025: 2000. SGT-TF25-0075: 1000.







Sign grip for thicker signs

Holds signs with a thickness of 2 to 5 mm. Width: 28 mm. Standard length: 25 or 50 mm. With tape. Colour: Transparent. Number per bag: 100. Number per carton: 1000.





Sign Holder – Adjustable & magnetic

Strong 10 kg magnet for all round use. The possibility to adjust the angle of the sign clip will increase the number of area's where it can be used. The sign grip can be used with a wide range of substrates, from the thinnest paper sheets up to 5,0 mm thick sign in cardboard, plastic, etc. Packing: 10/bag and 60/box

Colour: White magnet house & transparent sign clip. Material: Heavy duty PC






Magnetic T holder for Signs

Strong 12 kilo magnet foot to place signs on horizontal metal surfaces. The raised design and small round foot give unlimited placing possibilities. For 300-1000 gram cardboard up to 1,0 mm thick plastic signs. Standard colour: Transparent sign holder and metal magnet housing. Foot diameter: 40 mm. Number per box: 10/box.













Suction cup with a metal hook

Cup diameter: 42 mm. Colour: Transparent. Number per bag: 100. Number per carton: 1000.

7

B



Suction cup Suction cup with a grip to hold the message flat against the surface. Maximum material thickness: 2 mm. Material: PVC. Colour: Transparent.

Number per bag: 100. Number per carton: 1000.





Suction cup

Suction cup with a grip to hold the message at a straight angle against the surface. Maximum material thickness: 2 mm. Material: PVC. Colour: Transparent. Number per bag: 100. Number per carton: 500.





Suction cup with sign holding pin

Messages are quickly attached to glass surfaces. The pin will punch through materials like paper, cardboard, thin plastics and similar. When a thicker plastic has to be attached it is recommended to have a hole in the message (minimum 4,0 mm in diameter). Suction cup diameter: 45 mm (in mounted position) Color: Transparent Number per bag: 100 Number per box: 1000



CEILING DISPLAYS (SUSPENDERS)



Height adjustable cable suspension

For quick and user friendly installations of Over Head systems. For releasing and adjusting - just push the top pin. To lock – just let the top pin go. To be used with the cable AL-WIRE 1,0 mm. Approved for 20 kg. Number per bag: 50.



 \oplus

B

B



Universal and twistable "drop and hang" device

This easy-to-use hanger gives you an unrivalled number of reliable sign hanging solutions. Adjustments can be made using the SKYROD by simply lifting up or down while standing on the retail floor. The rail grip is compatible with most available overhead profiles on the market, as well as with ceiling grids. The sign grip can be twisted and locked into several positions with steps of 45 degrees. SKYGRIP directly holds poster sleeves (DBA-SG) or signs, but also the poster holder GRIPPER or the aluminium poster profiles MINI-SNAP, MINI-TRAK and LONDON. To suspend HL Frames, use the FRAD-SG adapter. To suspend poster sleeves, GRIPPER or MINI-TRAK. Colour: Transparent. Handles maximum weight of 3 kg.

For poster sleeves with 2 x 5 mm holes, cc 195 mm.

Maximum distance from upper edge of the hole to upper sleeve edge 5 mm. Number per box: 20.





Telscopic rod to handle SKYGRIP from the floor Using the telescopic SKYROD, overhead signage can be easily adjusted while standing on the retail floor. SKYROD is specially designed with an adapter to "drop and hang" the SKYGRIP. The telescopic pole is easily locked in different lengths by twisting the pipes. Length 135-375 cm, 3 telescopic pipes. Colour: Natural anodized aluminium. Packaging: 1/bag and 3 per outer carton box. Number per bag: 1. Number per carton: 3.




B



Ceiling clip with nylon cord

The GridSnap has a snap- lock mechanism so that it simply can be snapped on the metal grids in innerceilings. The more weight you suspend from this ceiling clip, the firmer the grip will be around the grid profile. The integrated nylon cord is 1000 mm long and can be length adjusted in 25 mm steps. : 50/bag (40 bags in a box) Packing : White Colour : PP Material






Mobile clip Snaps onto a "T" rail in the ceiling. Size: 19x15 mm.

Maximum load: 0.5 kg. Colour: White. Number per bag: 100. Number per carton: 4000.





MB

Attachment point

Extruded attachment point for lightweight signs. Size: 20x22 mm. With tape. Maximum load: 0.5 kg. Colour: White. Number per bag: 100. Number per carton: 10 000.

Attachment point

Injection moulded attachment point for lightweight signs. Size: 20 mm. Maximum load: 0.5 kg. Colour: White. Number per bag: 100. Number per carton: 10 000.


Mobile button

Attachment for light weight signs. Snaps into a "T" rail in the ceiling. Size: 37x27mm. Maximum load: 2 kg. Material: PVC. Colour: White. Number per bag: 100. Number per carton: 2500.



Mobile button with foam tape

Size: 37x27 mm. Maximum load: 2 kg. Material: PVC. Colour: White. Number per bag: 100. Number per carton: 2500.





NEW PRODUCT

Attachment point for lightweight signs

Size: 30x30 mm. Maximum load: 0.8 kg. Colour: White. Number per bag: 100. Number per carton: 1000.

 \oplus







MINI-MAG

Small magnet with loop

Max 2,5 kg. Size: 14x37 mm. Colour: White. Number per bag: 20. Number per carton: 250.





Magnetic hook 7080-5 max 5 kg. Size: 35x35 mm. Colour: White. Number per bag: 10. Number per carton: 200.





Magnetic ceiling hook

Magnetic ceiling hook with a closed loop. The magnet hook can also be used as a general attachment point for various display settings. Maximum load: 5 kg. Colour: White. Number per bag: 10. Number per carton: 250.





Telescopic rod

Simplifies applying signs and attachments to the ceiling. Length: 1400 and 2800 mm. Number per bag: 1. Number per carton: 10.






Snap close hook for poster sleeves

This hook can be snap-locked to signage and poster sleeves provided with holes (DBA-MG, DBA-2H or DBA-SG), so that handling is possible by holding the signage at the bottom. Single use is possible as the SKY-CLIP will always return to a flush position. Click on the small super magnet MGT-16 for ceiling suspension from metal ceiling grids. SKY-CLIP will hold substrates with a thickness of 0.1 to 2.0 mm. Colour: Transparent.

Number per carton: 50.








XL snap hook – "drop & hang"

Can be hooked onto MINI-TRAK and all other OH-rails with a maximum 25 mm diameter. For signs with minimum 3,0 mm large holes. Can also be used with up to 14,0 mm metal eye-lets (outer dimension). Ideally the upper hole edge should be 8,0 mm from the upper sign edge. Maximum substrate thickness 3,0 mm. : 50/bag. Packing Colour

: Frosted transparent.



HL STAPLER

Hook and Loop stapler

This ingenious stapler machine is the perfect tool to keep the store environment neat and clean. Instead of using tapes or other "home made" solutions that will give a messy impression, now loops or hooks can be attached to existing signage and that will change instore signage for ever.

The HL Stapler (Hook & Loop stapler) can be used with the common signage and poster sleeve plastics up to 0,8 mm or 2 x 0,4 mm thickness. Also all normal paper qualities and can be stapled and corrugated card board can be stapled up to 6,0 mm thicknesses. Packing :1/box Colour : Metal, White & Blue.

STAPLES, HOOK & LOOP

Suspension for staples

To be used with the HL Stapler. A simple and quick way to add hooks or loops to signage and poster sleeves. The loops and hooks are compatible with a wide range of HL products. For more information see further on in this News letter. The Hook-Staples can be twisted for either flush or perpendicular

use.

Loop-Staples Packing : 100 box. Colour : Shiny metal. Hook-Staples Packing : 100 box. Colour : Shiny metal.



B

 \oplus



Small extra tight S shaped hook

Dimensions: 3.0 mm wire, total height 25 mm. Number per bag: 50.





Small practical S shaped hook

Dimensions: 2.0 mm wire, total height 28 mm. Number per bag: 50.










Open able hook Dimensions: 0.8x2.0 mm wire, total height 27 mm. Number per bag: 50.

B



C-hook

Metal hook for connecting heavier signs and displays. Length: 35 mm. Wire diameter 2.0 mm . Number per bag: 100.





C-hook Metal hook for suspension and connection of signs. Length: 50 mm. Wire diameter 1.5 mm. Number per bag: 100.





S-hook

Metal hook for connecting heavier signs and displays. Length: 30 or 50 mm. Wire diameter 2.0 mm. Number per bag: 100.




Double hook

For suspension and connection of signs. Available in lengths: 100, 150, 300, 500, 750 and 1000 mm. Wire diameter 2.0 mm. Number per box: 250 Number per package: 50.

202





ACCESSORIES





CONNECTORS





Metal suspension ring - open and close mechanism

Heavy duty ring for the suspension of signage with holes. Ideal to be used in combination with the metal suspension chains AL-CHAIN. M-RING has a practical and secure mechanism for opening and closing. M-RING 25 – 25 mm outer diameter. 2,8 mm wire M-RING 32 – 32 mm outer diameter. 2,8 mm wire M-RING 38 – 38 mm outer diameter. 2,4 mm wire Color: Glossy metal finish. Number per bag: 100 Number per box: 1000





Mobile strip

For connecting signs. Available in lengths: 50 and 100 mm. Colour: Transparent. Number per bag: 100. Number per carton: 5000.





Dump bin foot

Right-angled for cardboard dispenser stands. Provides protection against dirt and moisture. Size: 65x35 mm. Colour: White. For cardboard in thickness 2-4 mm. Number per bag: 50. Number per carton: 800.





Combined dump bin foot

May be used both as a sign holder and screen connector. Size: 40x45 mm. Colour: White. For cardboard in thickness 2-4 mm. Number per bag: 100. Number per carton: 2500.




Flexible dump bin foot

The foot has a hinge and fits both acute and oblique angles. Size: 95x40 mm. For cardboard in thickness 3-8 mm. Colour: Transparent. Number per bag: 100. Number per carton: 1000.

 \oplus












NEW PRODUCT





Number per bag: 100. Number per carton: 2000.




 \oplus

 \oplus

Connection piece


Construction system for mounting mobiles and display structures. Maximum material thickness: 3 mm. Length: 25 mm. Colour: Transparent. Number per bag: 100. Number per carton: 2000.






Connection piece

Construction system for mounting mobiles and display structures. Maximum material thickness: 3 mm. Length: 25 mm. Colour: Transparent. Number per bag: 100. Number per carton: 2000.



 \oplus

 \oplus



Connection piece

Construction system for mounting mobiles and display structures.Maximum material thickness: 3 mm. Length: 25 mm. Colour: Transparent. Number per bag: 100. Number per carton: 2000.

SGH-XL-00-0040

Straight double grip

Extra large double grip for connecting various display boards with a thickness of 2 to 6 mm. Colour: Transparent. Number per bag: 100. Number per carton: 500.



SGH-XL-90-0040

Angled double grip The same as SGH-XL-00 but angled at 90 degrees. Colour: Transparent. Number per bag: 100. Number per carton: 500.






Flexible double grip The same as SGH-XL-00, but made with flexible material between the two grips. Colour: Transparent. Number per bag: 100. Number per carton: 500.



Œ







CMISCELLANEOUS



Magnetic badge

Magnetic badge with a nice curved shape. Messages are easily changed and well protected due to the sliding front mechanism. Dimensions: For labels sized 75x32 m. Packing: 20/bag and 100/box. Colour: Black with a transparent front.



B

B



Adhesive pads on rolls Pad size: 12 x 25 mm. Pads per box: 200. Boxes per carton: 150.





O

Velco pads - self adhesive pairs

Practical self-adhesive pairs of Velcro pads on one and the same roll. The roll comes in a little box to keep it stored during use and for future use. Diameter: 20 mm. Color: White.

Number box: 1 roll, 100 pairs Number of rolls per outer box: 60




Flat magnet with friction cover

The soft cover not only protects magnetic surfaces from scratches, it also increases the experienced real working strength of the magnet by providing an enormous anti-glide friction. Only 8 mm thick. Ideal for quick and reliable shelf connections, but still removable.

Strength 1 : 12 kg On 1,0 mm coated plate (shelf) Strength 2 : 18 kg On 2,0 mm coated plate (upright) Color : Grey Thickness : 8 mm Diameter : 65 mm Screw hole : M6 (hole depth 7 mm) Packing : 20/box







ACCESSORIES