



## EFFECTIVE SIGNAGE

Guiding consumers through out your shop lay-out by effective overhead signage will increase footfall in general. Enhanced excitement in the categories will consciously or unconsciously go beyond our rational perception and increase the number of actual purchases. In the overhead signage range you will find everything you need to hang posters, graphics and frames.



# Help your consumer find their way around your store!



In combination with the HL Skyline system an endless number of possibilities are available to combine frames and other products including poster holders, price cassettes and freezer systems. Hanging frames from the ceiling with HL Displays system Sky-Trak is quick and easy and the slim but sturdy structure allows optimum use of the space below.



# OVERHEAD & FLOOR SIGNAGE



## HIGH PERFORMANCES

Our aluminium systems Catrail, Mini-Trak and Mini-Snap are the ideal overhead systems and by attaching additional features it will allow you to combine overhead signage with for example category guidance and pricing information.

Integrated side tracks make the addition of extra features possible allowing you to slide in your graphics or the use of large data strips for easy changing and protection of your messages.



# CATEGORY & IN-STORE COMMUNICATION

## ORDERING GUIDE - SKYLINE OVERHEAD SYSTEMS

### SkyLine overhead systems based on MINI-TRAK - carries medium heavy loads:

#### In-Line 3000 Mini

Needed in-going parts:	Number of units:
Mini-Trak 3000	1
Mini-End	2
Mini-Loop-D	2

#### In-Line 6000 Mini

Needed in-going parts:	Number of units:
Mini-Trak 3000	2
Mini-End	2
Mini-Loop-D	2
Mini-Join-D	1

#### In-Line 9000 Mini

Needed in-going parts:	Number of units:
Mini-Trak 3000	3
Mini-End	3
Mini-Loop-D	2
Mini-Join-D	2

#### Square 3000 x 3000 Mini




Needed in-going parts:	Number of units:
Mini-Trak 3000	4
Mini-End	4
Mini-Loop-D	4
Mini-Join-D	4

#### Square 6000 x 3000 Mini




Needed in-going parts:	Number of units:
Mini-Trak 3000	7
Mini-End	4
Mini-Loop-D	4
Mini-Join-D	2
Mini-Flex-D	6

#### Square 9000 x 3000 Mini

Needed in-going parts:	Number of units:
Mini-Trak 3000	10
Mini-End	4
Mini-Loop-D	4
Mini-Join-D	4
Mini-Flex-D	8



# OVERHEAD & FLOOR SIGNAGE



## SkyLine overhead systems based on STAR-TRAK - for heavy installations:

### In-Line 3000 Star

Needed in-going parts:	Number of units:
Star-Trak 3000	1
Star-End	2
Star-Loop-D	2

### In-Line 6000 Star

Needed in-going parts:	Number of units:
Star-Trak 3000	2
Star-End	2
Star-Loop-D	2
Star-Join-D	1

### In-Line 9000 Star

Needed in-going parts:	Number of units:
Star-Trak 3000	3
Star-End	2
Star-Loop-D	2
Star-Join-D	2
Mini-Flex-D	2

### Square 3000 x 3000 Star

Needed in-going parts:	Number of units:
Star-Trak 3000	4
Star-End	4
Star-Loop-D	4
Star-Join-D	4

### Square 6000 x 3000 Star

Needed in-going parts:	Number of units:
Star-Trak 3000	7
Star-End	4
Star-Loop-D	4
Star-Join-D	2
Star-Flex-D	6

### Square 9000 x 3000 Star

Needed in-going parts:	Number of units:
Star-Trak 3000	10
Star-End	4
Star-Loop-D	4
Star-Join-D	4
Star-Flex-D	8






## ➔ OVERHEAD RAIL SYSTEMS

ⓑ



STAR-TRAK



### Heavy-duty aluminum overhead profile

This elegant profile is the universal tool for creating smart, multi functional ceiling systems. A wide range of practical accessories are available for STAR-TRAK: connectors, frame fixtures, several sign and poster sleeve fixtures, integrated poster gripper profiles, poster gripper rolls and so on.

Most accessories can be both side and bottom loaded.

Standard lengths: 2 and 3 meters.

Colours: Natural anodized aluminium and white RAL 9010.

Please contact us for other lengths.

Dimensions: Height 48 mm, width 31 mm.

Number per box: 24.

⊕



STAR-END



### End-cap for STAR-TRAK

The STAR-END end-piece adds the finishing touches to STAR-TRAK. It can be opened simply by twisting round, all accessories are easily side loaded without taking the end-cap off.


Standard colour: Black.

Number per bag: 12.

⊕



STAR-/CAT-LOOP



### Suspension loop for STAR-TRAK

For heavy duty use.

Each loop comes with 2 screws for securing to the top of STAR-TRAK.

Inside loop height: 15 mm.


Inserted length: 75 mm.

Number per unit: 12.

⊕



STAR-JOIN



### In-line connector with suspension loop for STAR-TRAK

Use STAR-JOIN if you want to couple two STAR-TRAK's in a stable straight line. Suspension loop integrated.

Each set contains: 1 locking profile with integrated loop, 2 screws and 1 anti-twist bar. Inside loop height: 15 mm

Locking profile length: 75 mm.


Anti twist bar length: 200 mm.

Number per unit: 1 set.

⊕



STAR-FLEX



### Corner, T and Cross connector for STAR-TRAK

A user friendly connector to create L, T and X connections. STAR-FLEX creates whole ceiling systems without the need to cut the aluminium bars. Easily clicked on during the assembly process and securely locked with a screw.

By releasing the screw, you can either unlock or remove the connection or just slide the entire rail into another position. Creates a distance of 22 mm between the two meeting aluminium profiles.

Standard colour: Black.


Number per bag: 12.



Ⓑ



MINI-TRAK



### Aluminium overhead and sign holder profile

This well-engineered profile gives you an unrivalled number of sign hanging solutions. MINI-TRAK is a stable support for a wide range of accessories, containing frame, sign and poster sleeve fixtures, integrated poster gripper profiles, poster gripper rolls and so on. Most accessories can be both side and bottom loaded.

Lengths: 503, 603, 703, 865, 1003, 1295, 1503, 2000 and 3000 mm.  
Colors: Natural anodised aluminium, White RAL 9010 and Red RAL3020.  
Please contact us for other lengths.  
Dimensions: Height 29 mm, width 21 mm.  
Number per box: 24.

Ⓑ



MINI-END



### End-cap for MINI-TRAK


This stylish end-piece turns MINI-TRAK into a chic overhead rail. It can be opened simply by twisting round; accessories are easily side loaded without removing the end-cap.

Standard colour: Black.  
Number per bag: 12.

Ⓑ



MINI-LOOP



### Metal suspension loop for MINI-TRAK

Delivered with 2 locking screws per loop.

Inside loop height: 15 mm.


Inserted length: 75 mm.

Number per unit: 12.

Ⓑ



MINI-LOOP-D



### Suspension loop for MINI-TRAK

MINI-LOOP-D is part of our stylish range of accessories for MINI-TRAK (see also MINI-JOIN-D and MINI-FLEX-D).

Side loaded into MINI-TRAK.


Colour: Black.

Number per unit: 12.

Ⓑ



MINI-JOIN-D



### In-line connector with suspension loop for MINI-TRAK

The MINI-JOIN-D enables a connection of two MINI-TRAK's in a stable straight line. This connector allows all suspension accessories to be used, and slided, right under the point of connection. A suspension loop is integrated. Total inserted length: 150 mm. The set includes two locking screws.


Colour: Black.

Number per unit: 1 connector set.




# CATEGORY & IN-STORE COMMUNICATION

Ⓑ



MINI-FLEX-D



## Angle adjustable L, T and X connector for MINI-TRAK

A user friendly connector to create L, T and X connections. MINI-FLEX-D creates whole ceiling systems without the need to cut the aluminium bars. Easily clicked on or slid into the position of choice during the assembly process and securely locked with a metal key. The connector can be locked at 90° angles or used at an angle free of choice between +45° and -45°. All accessories can be used right under the connection point. Comes complete with 1 locking key and 1 screw per connector.

Creates a distance of 10 mm between the two meeting aluminium profiles when used in the locked 90° angled mode.

Colour: Black.

Number per bag: 12 connector sets.

Ⓑ



MICRO-TRAK



## OH rail – extra small

Elegant and discrete over-head rail to suspend lighter signage. Especially suited to be used above freezers, low gondolas or pallet isle lands.


The MICRO-TRAK shares many of HL's other standard components for OH-rails. Can be suspended with MPH, MINI-LOOP and SKYGRIP.

New special MICRO-TRAK accessories are; MICRO-END, MICRO-CORNER, MICRO-FLEX and STR-LINE-MICRO.

Ⓑ



MICRO-END



## MICRO-TRAK end-cap

Side loaded black end-cap. No tools needed.


Color : Black

Packing : 48/unit

Ⓑ



MICRO-CORNER



## MICRO-TRAK L connector

To make L corner connections. Assembling is done by simple side loading, no tools needed.


Color : Black

Packing : 48/bag

Ⓑ



MICRO-FLEX



## MICRO-TRAK T connector

Creates T connections without the need of cutting the aluminum over-head rail. The bottom accessory track remains 100% available for the suspension of signage, also right under the point of connection. Due to the side loading and twist locking mechanisms, no tools are needed.

Color : Black


Packing : 48/bag



ⓑ



STR-LINE-MICRO




### MICRO-TRAK suspension rail

Profile with holes for easy suspension of signage and Frames by hook accessories. Side loaded into the aluminum MICRO-TRAK.  
 Dimensions : Holes Height 6 mm, Width 9 mm.  
 cc between the holes: 18 mm.  
 Length : 998 mm  
 Color : Transparent.  
 Packing : 48/box

ⓑ




NINE-LINE




### Aluminium rail with holes

This aluminum profile is a combination of the MICRO-TRAK and the STR-LINE-MICRO. Despite its small dimensions it has a good vertical stiffness that keeps it straight even when loaded with a bit heavier weights. It is compatible with all MICRO-TRAK accessories. Can be suspended with MPH, MINI-LOOP and SKYGRIP.  
 Dimensions : Holes 9 x 9 mm and 9 mm between the holes (cc 18 mm).  
 Length : 2000 mm  
 Color : Natural anodized aluminium  
 Packing : 24/box

⊕



CATRAIL-




### Overhead signage rail in aluminum

The outside of this rail is easily dressed up with category and sub-category signs. Also the Datastrip IDK-99 can be side loaded or front-clicked, and will provide an easy exchange of the graphics. The list of practical hanging accessories contains several hooks and loops, frame fixtures, heavy-duty sign fixtures, integrated poster gripper profiles and so on. Most accessories can be inserted directly from underneath. CATRAIL always has to be used with at least 2 x CAT-BASE. Standard lengths: 2 and 3 meters.  
 For dress-up signage with a height of 107 mm.  
 Standard colours: Natural anodized aluminium, green RAL 6029, red RAL 3020 and white RAL 9010.  
 Dimensions: Height 106 mm, width 120 mm.  
 Number per box: 12.

⊕



CAT-END




### End-caps for the CATRAIL

Sophisticated end-piece for CATRAIL.  
 Colour: Black or silver/grey.  
 Number per bag: 12.

⊕



CATRAIL XL



### Large category tent for open freezers and category segmentation


Total height for signage is 140 mm. Can also be used for 3x39mm or 2x52mm height datastrips. Standard lengths 2,5 and 3m.







CAT-END XL




### End-cap for CATRAIL XL

End-piece for CATRAIL XL.  
Standard colour: Black.



CAT-BASE




### Aluminum top for CATRAIL

CAT-BASE together with CAT-LOOP forms a reliable "snap-on" suspension for CATRAIL.  
Colour: Natural anodised aluminium.  
Dimensions: Lengths 95 and 300 mm, width 91 mm.  
Other lengths on request.  
Number per box: 24.



STAR-/CAT-LOOP




### Suspension loop for CATRAIL

For heavy duty suspension of CATRAIL.  
To be used together with CAT-BASE.  
Delivered with 2 locking screws per loop.  
Loop height: 15 mm.  
Inserted length: 75 mm.  
Number per unit: 12/bag.



CAT-JOIN



### In-line connector for CATRAIL


Use CAT-JOIN if you want to couple two CATRAIL's in a stable straight line. Each set contains: 1 locking profile, 2 screws and 1 anti-twist bar. (For ceiling suspension of in-line connected CATRAIL's use CAT-BASE length 300 mm and CAT-LOOP.) Locking profile length: 75 mm.  
Anti twist bar length: 200 mm.  
Number per unit: 1 set.




# OVERHEAD & FLOOR SIGNAGE

## OVERHEAD RAIL ACCESSORIES

(B)




SKYGRIP




### Universal and twistable "drop and hang" device

This easy-to-use hanger gives you an unrivalled number of reliable sign hanging solutions. Adjustments can be made using the SKYROD by simply lifting up or down while standing on the retail floor. The rail grip is compatible with most available overhead profiles on the market, as well as with ceiling grids. The sign grip can be twisted and locked into several positions with steps of 45 degrees. SKYGRIP directly holds poster sleeves (DBA-SG) or signs, but also the poster holder GRIPPER or the aluminium poster profiles MINI-SNAP, MINI-TRAK and LONDON. To suspend HL Frames, use the FRAD-SG adapter. Colour: Transparent. Handles maximum weight of 3 kg. For poster sleeves with 2 x 5 mm holes, cc 195 mm. Maximum distance from upper edge of the hole to upper sleeve edge 5 mm. Number per box: 20.

(B)



SKYGRIP-MGT




### Magnetic SKYGRIP

Ceiling sign holder with a strong magnet. "Easy-up" and "easy-down" principle as it can be handled while standing on the floor by using the telescopic SKY-ROD. SKYGRIP-MGT holds sign and frames with the following configurations: For signage with weights up to 1 kg, but the maximum weight is very much depending on the steel thickness in the surface where it is placed. Colour: Transparent sign holder and metal magnet housing. Magnet foot diameter: 40 mm. Number per box: 20/box

(B)



SKYROD




### Telescopic rod to handle SKYGRIP from the floor

Using the telescopic SKYROD, overhead signage can be easily adjusted while standing on the retail floor. SKYROD is specially designed with an adapter to "drop and hang" the SKYGRIP. The telescopic pole is easily locked in different lengths by twisting the pipes. Length 135-375 cm, 3 telescopic pipes. Colour: Natural anodized aluminium. Packing: 1/bag and 3 per outer carton box.

(+)



GRIPPER




### Poster and sleeve snap-profile for overhead rails

GRIPPER will hold and support your posters, signs and poster sleeves in an attractive and reliable way. Graphics are changed in seconds with the re-usable snap open and snap close hinge. Gripper is easily side loaded or clicked in from underneath with STAR-TRAK, MINI-TRAK, CATRAIL and SKYGRIP, and can be opened at any time for graphic change. GRIPPER used as a poster holder holds plastic and paper graphics from 0.1 to 3 mm thickness. GRIPPER used inside one of the aluminium profiles holds substrates up to approximately 1.5 mm thickness. Standard lengths: 210, 297, 400, 420, 500, 594, 600, 700, 800, 841, 1000 and 1200 mm. Other lengths on request. Standard colours: Transparent, white and black. Number per carton: 50.

(+)



G-ROLL



### Rapid-up poster gripper rolls

These easy-to-use G-ROLLS provide the quickest method to secure and exchange paper or thin cardboard messages when used with STAR-TRAK or MINI-TRAK. Inserting is locking, pushing one G-ROLL upwards is releasing by sliding the message side-wards/down-wards at the same time. Colour: Black. For poster thickness up to appr. 0.5 mm. The 45 mm rolls are recommended for messages up to A5 portrait. Larger than A5 portrait use the 82 mm rolls. Number per bag: 45 mm rolls; 11 or 15. Number per bag: 82 mm rolls; 8 or 12.




NEW PRODUCT

# CATEGORY & IN-STORE COMMUNICATION



PIPE9




## To hold fabric banners sewn with a fold

The aluminium PIPE9 will secure your fabric banners inside STAR-TRAK, MINI-TRAK, CATRAIL, STR and STRS. Simply side-load into the aluminium overhead rails. Pipe diameter: 9 mm. Pipe lengths: 500, 700 and 1000 mm. Others on request. Colour: Natural anodized aluminium. Number per box: 24.




MPH




## Multi-functional loop clip for overhead rails

This loop is inserted or released directly from underneath the overhead rails STAR-TRAK, MINI-TRAK, CATRAIL, STR and STRS. The “two way” loop can be used for 0° and 90° suspension. Colours: Transparent, white and black. Number per bag: 20.



STR-LINE-13




## In-line loop profile for overhead rails

To be inserted in the overhead rail STAR-TRAK, CATRAIL, STR and STRS. Simplifies the suspending of poster grippers, frames and poster sleeves by hooks. The holes are placed with cc 40 mm. Also available with tape on the base. Colour: Transparent. Number per carton: 25.



STRM-LINE-13



## In-line loop profile for MINI-TRAK


To be inserted into the overhead rail MINI-TRAK to simplify the suspension of poster grippers, frames and poster sleeves by hooks or the specially designed SKY-CLIP. Also available with tape on the base. The holes are placed with cc 40 mm. Colour: Transparent. Number per carton: 25.



ⓑ



**SIGN-LOCK**




**Sliding heavy-duty clip for overhead rails**


To hang heavier or thicker substrates from STAR-TRAK, MINI-TRAK, CATRAIL, STR or STRS. The SIGN-LOCK clip provides a practical and secure solution. After entering the clips through punched holes at the top edge of the graphic, they are simple side loaded in the aluminium profiles.

Holes in signage: Maximum distance of upper hole edge to top edge of signage: MINI-TRAK 4 mm, STR/STRS 6 mm, CAT-RAIL and STAR-TRAK 10 mm. Possible signage thickness for MINI-TRAK 3 mm: STAR-TRAK/STR/STRS/CATRAIL 6 mm.  
Dimensions: 2 mm wire and 13 mm total width.  
Number per bag: 20.

⊕



**STR-HOOK**



**Hook for overhead rails**


By twisting it 45 degrees this hook is inserted or released directly from underneath the overhead rails STAR-TRAK, MINI-TRAK and CATRAIL. The hook has two possible positions: 0 and 90 degrees to the overhead rail. The hook can also be attached to STR-LINE.

Colour: Transparent.  
Number per bag: 20.

⊕



**STR-CL**



**Frame clip for overhead rails**


By twisting it 45 degrees this clip is inserted or released directly from underneath the overhead rails STAR-TRAK, MINI-TRAK, CATRAIL, STR and STRS. The frame clip has two possible positions: 0 and 90 degrees to the overhead rail.

Colour: Transparent.  
Number per bag: 20.

⊕



**STR-LPX**



**Extra large loop clip for overhead rails**

By twisting it 45 degrees this loop is inserted or released directly from underneath the overhead rails STAR-TRAK, MINI-TRAK, CATRAIL, STR and STRS. The loop has two possible positions: 0 and 90 degrees to the overhead rail.

Colour: Transparent.  
Number per bag: 20.



## ☛ CEILING ATTACHMENTS

ⓑ



SKY-CLIP



### Snap shut hook for suspension from STR-LINE

This hook can be snap-locked to signage and poster sleeves provided with holes (DBA-MG, DBA-2H or DBA-SG), so that handling is possible by holding the signage at the bottomline. Single use is possible as the SKY-CLIP always will return to a flush position. Click on the small super magnet MGT-16 for ceiling suspension from metal grids. For substrates with a thickness of 0,1 to 2,0 mm.

Colour: Transparent.  
Number per bag: 50.

ⓑ



SKYCLIP-MEGA



### XL snap hook – “drop & hang”

Can be hooked onto MINI-TRAK and all other OH-rails with a maximum 25 mm diameter. This hook can also be used to suspend the GRIPPER poster holder. For signs with minimum 3,0 mm large holes. Can also be used with up to 14,0 mm metal eye-lets (outer dimension). ideally the upper hole edge should be 8,0 mm from the upper sign edge.

Maximum substrate thickness 3,0 mm. Packing : 50/bag.  
Colour : Frosted transparent.

⊕



AL-ROOFPIN




### Ceiling fixture

Ceiling fixture for suspension from ceilings.  
Number per bag: 100.

ⓑ




MB2K



### Mobile button

Attachment for light weight signs.  
Snaps on a "T" rail in the ceiling.  
Size: 37x27 mm. Maximum load: 2 kilo.  
Material: PVC.  
Colour: White.  
Number per bag: 100.  
Number per carton: 2500.

ⓑ



7020, 7040, 7060



### Mobile spiral

Extendable spring for suspending displays from the ceiling.  
7020 max. length: 1200 mm, max. load: 0.5 kg.  
7040 max. length: 1400 mm, max. load: 1 kg.  
7060 max. length: 2500 mm, max. load: 2 kg.  
Number per bag: 7020: 100, 7040: 25, 7060: 25.  
Number per carton: 7020: 10.000, 7040: 5000,  
7060: 1000.





ⓑ



7065



### Double hook

For suspension and connection of signs.


Available in lengths: 100, 150, 300, 500, 750 and 1000 mm. Wire 2.0 mm diameter.

Number per package: 50.

ⓑ



MBRR



### Attachment point for lightweight signs

Swivelling. With foam tape.

Size: 30x30 mm.

Maximum load: 0,8 kg.


Colour: White.

Number per bag: 100.

ⓑ



MGT-16



### Small "super magnet"

Max 1 kg. Diameter: 16 mm. Can be used with SKY-CLIP.

Colour: Transparent.

Number per bag: 20.

ⓑ



ST-HOOK 25



### Small extra tight S shaped hook


Dimensions: 3.0 mm wire, total height 25 mm.

Number per bag: 50.

⊕



S-HOOK 28



### Small practical S shaped hook


Dimensions: 2.0 mm wire, total height 28 mm.

Number per bag: 50.




# CATEGORY & IN-STORE COMMUNICATION

ⓑ




AL-WIRE-




## Wire suspension for over-head rails

Standard lengths: 20 and 50 m.  
20 or 50 locking mechanisms included.  
Number per carton: 10.

ⓑ



CABLEGLIDER



## Height adjustable cable suspension

For quick and user friendly installations of Over Head systems.  
For releasing and adjusting - just push the top pin.  
To lock – just let the top pin go.  
To be used with the cable AL-WIRE 1,0 mm. Approved for 20 kg.  
Number per bag: 50.

ⓑ



AL-CHAIN 10K, AL-CHAIN 12K




## Suspension chain for 10 and 12 kg

AL-CHAIN K10. Length is adjustable in 13 mm intervals.  
AL-CHAIN K12. Length is adjustable in 19 mm intervals.  
Number per unit: 1 roll of 30 meter.

⊕



BALL-CHAIN 2K



## Suspension chain for 2 kg

Ball diameter: 2.0 mm.  
Number per unit: 50 m per roll.

⊕



BALL-CHAIN CONNECTOR 2K



## Connector to join two BALL-CHAINS

Packing: 50/bag.



# OVERHEAD & FLOOR SIGNAGE

⊕




BALL-CHAIN END RING 2K

**End ring for suspension from BALL-CHAIN**

Number per bag: 50.



ⓑ



CARBINE HOOK 27

**Openable hook**

Dimensions: 0,8 x 2,0 mm wire, total height 27 mm.  
Number per bag: 50.



## ↻ FLOOR TALKERS

⊕



WT-, WT-U

**Floortalker**


High wear protection and anti-slip quality material. The recommended time of application is up to 6 months, and removal without leaving glue residue is guaranteed up to 6 months.

Maximum size rectangular (WT): 800x1300 mm.


Maximum size contoured (WT-U): 700x1000 mm.

Screen-printed graphics.

Number per unit: Dependent on dimensions.



## ↻ PALLET SIGNAGE



(B)

DL-QUATTRO




### Pallet dressing profile

Stable and reliable corner post for pallet signage.  
 The DL-Quattro profile has 4 tracks which each can hold the GRIPPER.  
 In this way L, T or X shaped connections can be made.  
 Standard length: 503 mm.  
 Other lengths: On request  
 GRIPPER to be used: Length 500 mm  
 Signage dimensions: 810x500 & 1210x500 mm (Euro Pallets).  
 Thickness up to 3,0 mm.  
 Diameter: 32 mm  
 Standard colour: White  
 Other colours: Min qty 500 meter profile.  
 Number per box: 24



(B)

DL-QUATTRO-END




### End-cap for the DressLine Quattro system

Stylish end-cap with the option to insert up to 12 mm poles  
 for use with Frame, VENDOR and AS-POP.  
 Standard colour: White  
 Diameter: 32 mm  
 Number per bag: 48



(B)

FENDER



### Pallet protector and sign holder

Surrounds pallets and protects the merchandise.  
 Sturdy construction and includes 212 mm high signage tracks over the full  
 length. Comes ready to use as a KIT for 800x1200 Euro Pallets.  
 Standard Colors: Red, Black, Blue, Green, others on request.  
 Number per box: 1 complete kit

