

An easy way to increase your sales!

Our range of universal aisle-sign fixtures and info rail shelf extensions offers everything to increase traffic in the aisles and improve category communication.

HL Display offers a wide variety of shelftalkers ranging from lateral and perpendicular models to aisle signs and canopies. Our shop-in-shop solutions offer unique possibilities to develop effective point-of-sale impact.





FIXTURES

н

Our wide range of fixtures will help you to find the most appropriate and cost effective way of getting your message across; flush, perpendicular, horizontal or vertical. Regardless of the way they are attached - on datastrips, front risers, shelves or glass doors - our snap mechanisms, magnets, clips or suction cups remain securely fixed in place. All designed to withstand the wear and tear of instore life.





I

I

I

T.

I


I

1

I

INTERACTIVE SELECTION GUIDES








Œ

 \oplus







Interactive selection guide

The INFOSHADE™ provides 3 to 4 times more information than standard sized Shelftalkers in a fun and interactive way! With a simple pull the shade extends to reveal an additional 385 cm² printable space. After viewing, the shade automatically retracts, ready for the next customer. The INFOSHADE™ allows you to give more detailed information in space limited areas, offer product selection guides or promotional information. Unique customer graphics will be printed on the header card, shade and pull-tab. Contact us for the available shelf fixture options.

Total housing width: 165 mm.

Standard size header card: h 75 x w 130 mm. Shade size: w 124 x h 311 mm.

Number per unit: 1 per poly-bag and 40 per carton.

Interactive selection guide

Same features and benefits as INFOSHADE-STANDARD, but smaller model. Total housing width: 130 mm. Standard size header card: h 75 x w 95 mm. Shade size: w 89 x h 311 mm. Number per unit: 1 per poly-bag and 40 per carton.





Selection guide holder for Slimline™

With this reliable snap-on loop for the Slimline™ profile,

selection guides can be created up to any length, just by making two holes in your pages. For longer flip-books add one or two additional SLIM-LOOP's in the centre of the pages. The loop itself is provided with a snap locking mechanism for reliable securing of the messages and a stopper that holds the messages in a maximum 20° flip-up position.

Provided with a finger grip to release it from the Slimline™ profile. Fits both non-angled and 20° angled shelves.

Ring diameter inside 25 mm. For pages with minimum 6 mm holes (we recommend 10 mm holes).

Colour: Transparent, others on request.

Number per bag: 50.





NEW PRODUCT


Selection guide for datastrips

Will give guidance and additional product information directly on the shelf edge. The little L-bend on the supporting back part guarantees a perfect locking into the Datastrip and protects it from falling off. Contact us for possible modifications.

Material for back part: 0.5 mm white or clear plastic.

Material for Flip-book: 0.25 mm white, max. 10 sheets. Graphics screen printed.

Number per unit: Dependent on dimensions.





Number per unit: 1000.

C LATERAL SHELFTALKERS FOR SLIMLINE™






Shelftalker for Slimline[™] mother profiles

Ensures that signs are directly attached to the Slimeline[™] profile (without FF label holder). The Shelftalker has the same height and curve as the mother profile and gives a contemporary and stylish impression. Easily slotted on the mother profile. To be screen printed. White 0.5 mm material, lengths up to 170 mm. Contact us for possible modifications.

 \oplus



KVB-SLIM

Shelftalker for Slimline[™] mother profiles

Either printed or with a message inserted, this Shelftalker makes the display of signs and labels possible directly on to the Slimline[™] profile (without FF label holder). The eyecatching positioning is unique; in front and above the shelf edge. Perfect reading angle and quickly on to the mother profile. Transparent 0.7 mm material, lengths up to 170 mm. Contact us for possible modifications. Number per unit: 1000.



ction of the follows the Easily atta vertically a

Printed Slimline[™] Shelftalker

To create in-store communication around the FF- label holder. The hinge function of the FF- is preserved and the design follows the curved shape of the Slimline[™] mother profile. Easily attached when the flip front is opened upwards and safely fixed both vertically and horizontally when the flip front is closed down. Provided with a finger grip to adjust the position of the paper label. Label height and length have to be stated when ordering. To be screen printed. White 0.4 mm material, lengths up to 210 mm. Contact us for the possible modifications. Number per unit: Dependent on dimensions.





Slimline[™] Shelftalker with 3D vacuum form

The ultimate solution to create eye-catching in-store communication around the FF- label holder. The eye-catching 3D shapes can of course be combined with brilliant screen prints. Easily attached when the flip front is opened upwards, safely fixed both vertically and horizontally when the flip front is closed down. Label height and length have to be stated when ordering.

White 0.4 mm material.

Contact us for the possible modifications.

Number per unit: Dependent on dimensions.





Slimline[™] Shelftalker with flag and label pocket

To create in-store communication around the FF- label holder. The hinge function of the FF- is preserved and the design

follows the curved shape of the Slimline^{\rm TM} mother profile. Easily attached when the flip front is opened upwards,

afely fixed both vertically and horizontally when the flip front is closed down. Provided with a finger grip to adjust the

position of the paper label. Label height and length have

to be stated when ordering. To be screen printed.


Transparent 0.4 mm material, lengths up to 210 mm.

Contact us for the possible modifications.

Number per unit: Dependent on dimensions.







C LATERAL SHELFTALKERS FOR DATASTRIPS




Shelftalker with 3D vacuum form

Shelftalker with a die-cut window for the price label and a L-grip that locks into the Datastrip. The eye-catching 3D shapes can of course be combined with brilliant screen prints. Available in various sizes and for all HL Datastrip heights. Standard supplied in 0.4 mm white material. Contact us for the possible modifications. Number per unit: Dependent on dimensions.



SHELFTALKERS





SAFE

3D shelftalker

3D shaped shelftalker with a window for the label and a grip, which locks into the datastrip. For datastrips with label heights 26, 30, 35, 39, 52 and 60 mm. Suitable for screen-printing. Number per unit: 100.

Shelftalkers with a super safe grip

No more Shelftalkers on the floor. With the L grip locking into the Datastrip and another gripping underneath the Datastrip, this Shelftalker simply can not fall off. The height of the

Shelftalker has to be the same as the height of the Datastrip. Also available as SAFE-G with a perpendicular flag. Can be made for all label heights. Graphics by screen printing. Standard supplied in 0.4 mm transparent material. Contact us for the possible modifications

Number per unit: Dependent on dimensions.



 \oplus



DBxxI SG

Punched shelftalker

Shelftalker with a window for the label and a flag which sits at a 90° angle to the shelf and a grip, which locks into the datastrip. (The window size and flag size must be stated when ordering). Fits in datastrips with label heights 26, 30, 35, 39, 52 and 60 mm. To be screenprinted.

Number per unit: 100.





Punched shelftalker

Shelftalker with a window for the label and a grip, which locks into the datastrip. (The window size must be stated when ordering.) Available for label heights 26, 30, 35, 39, 52 and 60 mm. To be screen-printed. Number per unit: 100.







NEW PRODUCT

Label pocket with a lower print area

Shelftalker that displays paper labels above a printed area. To be used with HL Datastrip. Suitable to use in combination with DGL. Attractive graphics by screen printing. Contact us for possible modifications. Number per unit: Dependent on dimensions.








Embossed shelftalker with raised pocket

Shelftalker that displays the pre-printed graphics below the inserted paper labels. To be mounted and used with the hinged DGL strips. Contact us for possible modifications of the 3D embossings. Suitable for screen-printing. Number per unit: Dependent on dimensions.

TPS-K





Shelftalker for HL Pinpac label holders

Fits K, KV, VH-, VIP- and KVIP-. With screen-printed graphics. Number per unit: 100.









FP.

Printed infill strip for HL Datastrips

Available for all label heights and delivered in the requested length up to 1340 mm. Graphics by high quality screen printing. Standard material 0.25 mm white plastic. Number per bag: 100.



FP-OAK-, FP-BEECH-, FP-CHERRY-

Imitation wood infill strip for HL Datastrips Great looking wood imitation infill strips in non cracking material. Available for all label heights and delivered in the requested length up to 1340 mm.

Shelftalker with hinge and flag grip

Number per bag: 100.

⊕




DGI KP

The universal grip of this Shelftalker fits any height of Datastrip.The hinge gives better access to the shelf below, and "absorbs" impact. Perpendicular flags are easily inserted from the right or left side. To be used with TPL-DGLKP. Available in lengths up to 500 mm. Heights from 80 to 117 mm. Color: Transparent. Number per unit: 100.



TPL-DGLKP, TPL-DGLKP-W



Perpendicular flag for DGLKP Shelftalkers

Especially designed flag to provide a reliable connection to DGLKP. Available with a creasing line (TPL-DGLKP) or pre-heat-bended at 90° (TPL-DGLKP-W). Material: 0.4 mm white or transparent. Number per unit: 100



DGLKS40/80, DGLK80/117



Shelftalker with flip-up hinge

The hinge function makes it easier to take out the merchandise from the shelf below. Available in lengths up to 500 mm. Heights from 40 to 80 mm = DGLKS Heights from 80 to 117 mm = DGLK Number per unit: 100.



Œ









LATERAL SHELFTALKERS



INFORAIL-2H, INFORAIL-TF, INFORAIL-TMF



Aluminium shelf extension rail

Creates 103 mm (99 mm with IDK-99) additional space for product and pricing information. Holds printed graphics directly or in combination with the Datastrip IDK-99. Signs and IDK-99 are easily front loaded. To be used with the INFO-END pieces.

Shelf attachments:

- INFORAIL-2H: Provided with 2 holes and 2 self drilling screws for attachment to the top of the shelf (lenghts longer than 900 mm are provided with 3 holes/ screws).

- INFORAIL-TF: Provided with 25 mm foam tape for attachment to the top of the shelf.

- INFORAIL-TMF: Provided with 20 mm magnetic friction tape for attachment to the top of the shelf.

Colours: Natural anodized aluminium and White RAL 9010. Lengths: 661, 891, 991 and 1321 mm.

Others on request (note: each end-piece INFO-END is 2 mm wide). For inserts H: 107 mm and L = INFORAIL length minus 1,0 mm. Number per carton: 6.



In-fill strip for INFORAIL

To be printed with vertical segmentation or educational purchasing information. With a finger grip for easy removal from the INFORAIL. Lengths: 660, 890, 990 and 1320 mm. Others on request. Material: White 0.5 mm. Number per carton: 50.



Perfecti



TPL-COVER

Protecting message cover for INFORAIL

Protects your paper inlays. Available with a finger grip for easier opening on request. Can be provided with printed graphics. Lengths: 660, 890, 990, 1320 mm. Other lengths on request. Material: Transparent, 0.5 mm. Number per carton: 50.












 \oplus



Label holder rail for FFR-

Holds the price label holder FFR- in place underneath the front of INFORAIL's. The label holders can be fixed in any position of choice. The rail is provided with tape for attachment underneath INFORAIL. Number per carton: 50.

OFC20, OFC30, OFC40





Curved branding strips Offers an integrated front riser and curved label pocket. To be used with FP- infill strips. For more information see

the chapter "Optimal[™]" Attaches with 19 mm adhesive tape. Available in different colours. Number per carton: 75.







Brand clip for OFC30

Gives the opportunity to highlight a specific product or brand. To be mounted over the OFC30 and fixed on the Optimal T-rail. For 59x39 mm labels. Frosted plastic. Number per bag: 75.







Shelf signage profile

An extremely cost effective and easy to use solution to hold 60 mm high infill strips made of paper. It has a nicely curved shape and good reading angle.

Infill strips are bottom loaded by the "magic" Curve & Hold principle. The infill strips are removed by sliding them out side wards.

Color	
Таре	
For label height	
Lengths	
Packing	

: Transparent. : TP19 : 60 mm : 895, 1325, others on requests. : 50/box







Shelf signage profile

To be taped on the top of the shelves and includes a track to hold the hinged profiles CGCxx, CP4C or CMP for pricing options.

An extremely cost effective and easy to use solution to hold 70 mm high infill strips made of paper. It has a nicely curved shape and good reading angle. Infill strips are bottom loaded by the "magic" Curve & Hold principle. The infill strips are removed by sliding them out side wards.

Color Таре For label height Lengths Packing

: Transparent. : TP19 : 70 mm : 895, 1325, others on requests. : 50/box

122






NEW PRODUCT

123

PERPENDICULAR SHELFTALKERS

MOON-V-CF






Convex Shelftalker

Perpendicular Shelftalker with a vertically curved shape. To be used with SLIMFLAG, DINO, OPTIFLAG, MGT-CF or AS-ARM-F-KIT. White 0.5 mm material. To be screen printed.

Contact us for possible modifications. Delivered flat-packed. For 3 pin flag holders. Number per unit: Dependent on dimensions.






MOON-CF

Convex Shelftalker

Perpendicular Shelftalker with a horizontally curved shape. To be used with SLIMFLAG, DINO, OPTIFLAG, MGT-CF or AS-ARM-F-KIT. White 0.5 mm material. To be screen printed. Contact us for possible modifications. Delivered flat-packed. For 3 pin flag holders.

Number per unit: Dependent on dimensions.






Triangular Shelftalker

Triangle shaped perpendicular Shelftalker. To be used with SLIMFLAG, DINO, OPTIFLAG, MGT-CF or AS-ARM-F-KIT. White 0.5 mm material. To be screen printed. Contact us for the possible modifications. Delivered flat-packed. For 3 pin flag holders. Number per unit: Dependent on dimensions.





Triangular Shelftalker

Triangular shaped perpendicular Shelftalker. To be used with the holders SLIMFLAG, DINO, MGT-CF or AS-ARM-F-KIT. White 0.5 mm material. To be screen printed. Also available as TRI-D-KLG for use with the holders SLIM-KLG or KLG-60. Contact us for possible modifications. Can be used together with flashing LED-lamp. Delivered flat-packed. For 3 pin flag holders. Number per unit: Dependent on dimensions.

SAND-CF


Image: Second sec



Perpendicular Shelftalker

Sand-hour shaped perpendicular Shelftalker. To be used with the holders SLIMFLAG, DINO, MGT-CF or AS-ARM-F-KIT. White 0.5 mm material. To be screen printed. Delivered flat-packed. For 3 pin flag holders. Also available as TRI-D-KLG for use with the holders SLIM-KLG or KLG-60. Contact us for possible modifications. Delivered flat-pack. Number per unit: Dependent on dimensions.






125



Ð

 \oplus



Merchandising box for SLIM-FLAG use

To highlight products on the shelf edge. The box can be made in various dimensions, as well as a lockable lock included.

Note: SAMPLER-CF needs 2 SLIM-FLAG holders for shelf edge attachment.

Material: Highly clear and impact resistant 0,5 mm PET. Graphics screen printed possible if wanted. Number per unit: Dependent on dimensions.





SAMPLER-KLG


Merchandising box for SLIM-KLG use

To highlight products on the shelf edge. The box can be made in various dimensions, as well as a lockable lock included.

Note: SAMPLER-CF needs 2 SLIM-KLG holders for shelf edge attachment.

Material: Highly clear and impact resistant 0,5 mm PET. Graphics screen printed possible if wanted. Number per unit: Dependent on dimensions.





Merchandise holding Shelftalker for glass doors

Designed for merchandise exposure on vertical glass surfaces, such as shopping windows or cooler doors. The holder is primarily for the exposure of bottles, cans, etc, but other types of use are of course possible to. A convex shaped header card holder is integrated in the construction. SAMPLER-SC comes flat-pack. Mounted with 2 suction cups (not included, use Jegab 7032 suction cups).

Material: 0,5 mm PET Packing: Best, depending on dimensions.






Pocket for perpendicular sign holders

Designed to fit TR-FLAG, WLL-FLAG, SHF-FLAG, UMC-FLAG, MPL-FLAG and MAGNET-SWING-FLAG. Standard material: 0.5 mm clear non-reflective plastic. Graphics screen printed. Contact us for possible modifications. Number per carton: Dependent on dimensions.






Double pocket for perpendicular sign holders Designed to fit TR-FLAG, WLL-FLAG, SHF-FLAG, UMC-FLAG, MPL-FLAG and MAGNET-SWING-FLAG. Holds two paper messages.

Standard size: 2 x A7 landscape. Supplied in 0.5 mm clear material. Graphics screen printed. Contact us for the possible modifications. Number per carton: Dependent on dimensions.

126








SHELFTALKERS

PERPENDICULAR SIGN HOLDERS





Perpendicular sign holder with shelf attachment clip

Due to the flexible clip this flag holder is universal and can be used on a range of different shelf types. The clip connection has an integrated mechanism to absorb shocks for durable installations. Dino can be attached and released from the shelf over and over again. The flags are securely locked by a 3-pin system (cc 20 mm between the pins). For flags such as DBE-CF, TPL-U-CF and SAND-CF. Comes fully assembled and ready to use. Colour: Transparent. Number per unit: 70.

DINO-TF

Perpendicular sign holder with foam tape

For semi-permanent installations or shelves without holes in the front. The flags are securely locked by a 3-pin system (cc 20 mm between the pins). For flags such as DBE-CF, TPL-U-CF and SAND-CF. Colour: Transparent. Number per unit: 100



Æ

GATOR

-TM

(B

 \oplus

GATOR-TM. -SC. -WC. - TP

Flagholder with slip-in foot

Due to the "slip-in" design of the foot it can be placed underneath the merchandise on the shelf. Reaches over 50 mm high front-risers, horizontal segmentation strips as the OFC- series or an OPB. The flag holder flips both side-wards and upwards but always comes back to a full perpendicular position. For all xxx-CF flags. GATOR TM: With magnet foot for metal shelves. GATOR SC: With suction cup for glass shelves.

GATOR WC: With wire-clips for wire shelves. GATOR TP: With tape for all other situations. Color: Transparent. Number per box: 25







Magnetic and slip-in flag holder

Perpendicular flag holder with a flat and magnetic base. Easily placed under the merchandise or the Shelf Ready Packaging boxes.

The SpadeFlag is a very universal solution as it can be used on all types of metal shelvings and it is designed to reach over OPB's, OFC's and up to 50 mm high front-risers.


Uses the 3-pin flag holder for all flag designs for which the article name ends with -CF. Comes fully assembled and ready to use.

Color: White base and transparent flag grip Magnet tape: 125x50 mm (Extra strong version) Total LxWxH: 210 mm x 60 mm x 115 mm Foot print: 60 x 140 mm



Holds perpendicular signs close to the merchandise. Strong connection to the shelf by the 12 kilo magnet. Can also be used on vertical angled surfaces. Secure flag grip with a 3-pin system, cc 20 mm. To be used with, for example DBE-CF, TPL-U-CF, MOON-CF, SAND-CF, CYL-CF. Transparent, high quality plastic. Comes fully assembled. Number per bag: 10.













Sign holder to fit the Slimline™ system

Holds perpendicular signs close to the actual merchandise. Simply clicked on to the Slimline™ profile gives a superb secure connection. Reliable flag grip with a 3-pin system, cc 20 mm. Total grip height 100 mm. To be used with, for example DBE-CF, TPL-U-CF, MOON-CF, SAND-CF, CYL CF. Transparent, high quality plastic. Number per unit: 50.





AS-ARM-F-KIT

Magnetic 3-pin system sign holder

To be fixed underneath metal shelves in order not to block any facings. Adjustable for use on shelves with varying angles or vertical surfaces, un-locked and locked by push button. Can be used with up to 90 mm high Datastrips on non angled shelves. Flags or sleeves are fixed by a secure 3-pin system, cc 20 mm. Flags: for example DBE-CF, TPL-U-CF, MOON-CF, TRI-CF, SAND-CF, CYL-CF. Angle adjustable.

Maximum signage weight 0.5 kg. Colours: White or aluminium tube, transparent grip. Number per unit: 20.





AS-ARM-F-G-KIT

Magnetic snap sign holder sign

To be fixed underneath metal shelves in order not to block any facings. Adjustable for use on shelves with varying angles or vertical surfaces. The angles are adjusted by pushing a button. Can be used with up to 90 mm high Datastrips on non-angled shelves. Flags or sleeves are fixed by a secure snap-open and snap-close strip. Holds flags in any substrate and in a thickness varying from 0,1 to 3,0 mm. Height of locking strip: 100 mm (but holds signs larger than 100 mm too). Angle adjustable. Maximum signage weight 0.5 kg. Colours: White or aluminium tube, transparent grip. Number per unit: 20.





Perpendicular sign holder for Slimline[™] Secure snap-on sign holder with double pin-locking

mechanism for flags in substrates up to 0.5 mm thickness.

Provided with a finger grip for user friendly release from the Slimline™ profiles. Fits both non-angled and 20° angled shelves as it comes ready to use with a locked flag postion of 0°, but can be changed to a new permanent 20° angled flag position.The sign-holder is also directly compatible with Hermes 25 mm C shelves.

For 0,5 mm substrates, 5,0 mm holes. Angle adjustable. Colour: Transparent, others on request. Number per bag: 50.






Perpendicular sign holder for datastrips

Fits datastrips with a label height of 30 and 39 mm. Needs a 5 mm hole in the flag. The flags are securely held in place by a piercing pin. Angle adjustable. Colour: White. Number per bag: 50.

Number per unit: 3000.







KLG-WOBBLER

Wobbling sign holder for DataStrips

This sign holder swings away in all directions. In that way it absorbs all kind of impacts and protects the flags. For all DataStrip heights, but includes a locking mechanism for 30 and 39 mm DataStrips.

Colour: White. Number per bag: 50.







Flag holder for dividers

To be mounted on to the 60 and 120 dividers. To be used with all XXX-CF flags or with TPL-U-OPTI when the flags are to be used in combination with the curved segmentation strip OFC30 Colour: Transparent. Number per unit: 20.







OPT-HB-HOLDER

Flag holder for dividers

To be mounted on to the 60 and 120 dividers. To be used with flag TPL-U-HB (see perpendicular Shelftalkers). Colour: Transparent. Number per unit: 20.






Flag holder for curved branding strips

To be mounted on the OFC20 or the OFC30 curved profile. To be mounted on the OFC20 or the OFC30 curved profile. To be used with the TPL-U-HB. Frosted finish. Number per unit: 20

AS-ARM-FS-G-KIT



Straight magnetic snap sign holder

To be placed on metal shelves. Adjustable for use with shelves with varying angles or vertical surfaces. The angles are adjusted by pushing a button. Flags or sleeves are fixed by a secure snap-open and snap-close strip. Holds flags in any substrate and in a thickness varying from 0.1 to 3.0 mm. Length of locking strip: 100 mm (but holds signs larger than 100 mm too). Maximum signage weight 0.5 kg. Colours: White or aluminium tube, transparent grip.


Number per unit: 20.



 \oplus







Multi-purpose flag holder

Flexible gripper to display shelftalkers on most datastrips – including rails for electronic labels. Number per bag: 50.

PC-GADGET

MGTS-KLG

FLEXI-KLG



Fixture backpiece for Shelftalkers

By taping this slot on the backside of Shelftalkers or similars, you get access to all fixing accessories that are available for HL Display's Price Cassettes and Shelftalker frames. Provided with foam tape. Colour: White. Number per bag: 100. Number per carton: 10.000.



B



Magnetic sign holder

Perpendicular holder for smaller signs with a hole. Holds flags in substrates up to 0,5 mm thickness. Hole diameter: 5,0 mm Standard colour: White Number per unit: 50/bag





KLG-50

TR-FLAG

Grip for shelftalkers

To be pushed down into the datastrip enabling a display card to be held at right angles to the shelf. Colour: Off-white. Number per bag: 50. Number per unit: 3000.






Sign holder with a hinge for wire shelves

To be fixed underneath the wire shelf with a simple grip. Very easily mounted. Always returns to the perpendicular position. Designed to fit DBE-FLAG and TPL-U-FLAG (see perpendicular shelftalkers). Colour: Transparent. Number per bag: 10.







Flagsign holder

Flagsign holder for datastrips. May be adjusted into several angles. Fits all Datastrip heights. Can be mounted on any edge with max 3 mm thickness. Colour: Transparent. Number per bag: 50. Number per unit: 1000.








Flagsign holder

Flagsign holder for datastrips. Holds the sign perpendicular to the surface. Fits all Datastrip heights. Can be mounted on any edge with max 3 mm thickness. Colour: Transparent. Number per bag: 50. Number per unit: 1500.







Magnetic arm with hinged sign holder

To be fixed underneath a metal shelf. Always returns to the perpendicular position. Designed to fit DBE-FLAG and TPL-U-FLAG (see perpendicular shelftalkers). Colour: White housing with transparent arm and sign holder. Number per bag: 10.

HANGING AISLE SIGNS AND FIXTURES



RAPTOR-TM, -TF, -SC, -WIRE




Magnetic "slip-in" aisle sign holder

For use on top of metal shelves. Due to the flat magnetic foot the merchandise can be placed on top of it. The RAPTOR can be used with 4 suction cups for glass shelves or with 4 of the wire clips OH3.0 for wire shelves. The integrated hooks have an anti-fall off design and are placed cc 100 mm from each other, starting at 90 mm from the shelf edge. The holder reaches over 50 mm high front risers. Equipped with integrated header card clips. RAPTOR-TM – magnetic

RAPTOR-TF – tape RAPTOR-SC – suction cup RAPTOR-WIRE – wire clips Recommend hole dimensions for the aisle signs: 5-10 mm in diameter. Colour: Transparent Number per box: 20.






SHELFTALKERS



For card board or plastic signs up to 2,0 mm thickness. Standard with snap profile for signage width: 105 mm.

Maximum signage weight: 0,5 kg Number per unit: 20 kit.





AS-ARM-M-G-KIT

Magnetic aisle-sign fixture with snap profile

The strong magnet with variable angles can be placed on horizontal, vertical or angled metal surfaces. With integrated "snap-open and snap-close" sign holder for quick and easy message changes. For card board or plastic signs up to 2.0 mm thickness. Standard with snap profile for signage width: 105 mm. Tube length: 250 mm.

Tube colours: White or natural anodized aluminium. Each fixture comes assembled and ready to use. Maximum signage weight: 0.5 kg. Number per unit: 20 kit.








Cross bar aisle-sign fixture with hooks

Telescopic tube kit for hook cross-bar. Including: cross bar fixture, telescopic device, 2 pcs hanging hooks and end cap. The hooks are integrated in the tube. Tube diameters: 12 and 9 mm. Adjustable from 605 to 750 mm. Maximum signage weight 0.4 kg. Tube colours: white or aluminium. Number per unit: 20.



AS-ARM-SCS-360



Glass shelf fixture with hooks

Tube with large suction cups for use underneath glass shelves. The suction cups have a tag for easy removal. Including: 2 pcs suction cups, 2 pcs hanging hooks and end cap. The hooks are integrated in the tube. Tube diameter: 9 mm. Length: 400 mm. Maximum signage weight 0.5 kg. Tube colours: White or aluminium. Number per unit: 20.





AS-ARM-SC-360

Aisle sign arm for windows

Aisle sign arm with snap-lock and snap-release suction cup. Due to the hooks with the 360° turn feature, the signs will easily swing away when bumped into.

AS-ARM-SC-360 Packing : 20/bag. Colour : Frosted transparent & anodized aluminium. Dimensions : Arm length 210 mm.





AS-ARM-SCB-360

Glass door fixture with hooks

Tube with bend and large suction cups for use on glass doors or windows. The suction cups have a tag for easy removal. Including: 2 pcs suction cups, 2 pcs hanging hooks and end cap. The hooks are integrated in the tube. Tube diameter: 9 mm. Length 250 mm, height 130 mm. Maximum signage weight 0.5 kg Tube colours: White or aluminium. Number per unit: 20.





NEW PRODUCT

TPL-U-2H

Printed aisle flag for AS-ARM-

For vertical segmentation. Quick mounting. Swings away when hit with a shopping trolley. Standard material: 1 mm white PVC. Graphics screen printed. Contact us for possible modifications. Number per unit: Dependent on dimensions.




 \oplus




Aisle sign sleeve for exchangeable messages

This transparent sleeve with a snap locking holds your paper messages securely in place. With 2 holes to fit the AS-ARM aisle sign holder series. For 105 mm wide messages. Colour: Transparent Number per box: 25.





Printed aisle flag with metal rings for AS-ARM. For vertical segmentation. Extremely safe and durable. Swings away easily when hit with a shopping trolley. Standard material: Soft PVC with woven nylon. Graphics screen printed. Contact us for possible modifications. Number per unit: Dependent on dimensions.



A-CYL

Triangle shaped aisle sign for AS-ARM-

For vertical segmentation with good frontal impact. Mounted on one hook, swings easily when hit with a shopping trolley. Standard material: Polypropylene. Delivered flat and easily clicked together into it's final shape. Graphics screen printed. Contact us for possible modifications. Number per unit: Dependent on dimensions.



Cylinder shaped aisle sign for AS-ARM-

For vertical segmentation with a good visual effect to all possible directions. Mounted on one hook, swings away when hit with a shopping trolley. Standard material: Polypropylene. Delivered flat and easily clicked together into it's final shape. Graphics screen printed. Contact us for possible modifications. Number per unit: Dependent on dimensions.

